

# A Survey on Task Distribution Approach for Mobile Cloud Computing Application

Vishal Tiwari<sup>1</sup>, Prof L.H.Patil<sup>2</sup>

<sup>1</sup> M.Tech IYr (Computer science & Engineering), PIET, Nagpur, India

<sup>2</sup> Astt. Prof. Computer Science & Engineering Department, PIET, Nagpur, India

**Abstract**— Recently mobile devices, such as smartphones and tablets have made many pervasive computing dreams which come true. Still such mobile applications do not perform well due to the shortage of resources for computation data storage, network bandwidth, and battery backup. Along with the rapid growth of various cloud services and network technologies and increasing number of mobile devices use cloud storage services to enlarge their capacity and share data in our daily lives. We generally use cloud service client-side software in a serial fashion. However when much devices and users participate in various services, the difficulty of managing these services efficiently and conveniently increases.

With worldwide shipments of smartphones 487.7million exceeding PCs 414.6million including tablets in 2011, and in the US alone, more users predicted to access the Internet from mobile devices than from PCs clearly there is a desire to be able to use mobile devices and networks like we use PCs and wire line networks today. However in spite of advantages in the capabilities of mobile devices a gap will continue to exist there and may even widen, with the requirements of vast multimedia applications.

Mobile cloud computing can help bridge this gap providing mobile applications the capabilities of cloud servers and storage together with the benefits of mobile devices and mobile connectivity which possibly enabling a new generation of truly huge multimedia applications on mobile devices. In this way we look at what the early trend & what changes we are making into it. In current situation if we play Internet Gaming on Mobile so in this an approach that enables much multiplayer Internet games on mobile devices which compute proper tasks like graphic rendering are executed on cloud servers in response to gaming commands on a mobile device, and the resulting videos has been streamed back to the mobile device in near real time. But in this way we cannot say that proper task distribution is done as only mobile games are not available application for it there can be other large applications so for that in this focus will be on some task distribution techniques which will give better output. With this we will be optimizing the computational load over mobile devices.

**Keywords**— Mobile cloud, graphics rendering, Mobile Cloud Computing , task distribution , mobile games

## I. INTRODUCTION

There are various definitions for “The Cloud”, although cloud computing is generally considered as follows:

“Cloud computing is the delivery of computing services rather than a product, where by shearing the resources like software and information are provided to computers and

other devices as a utility like the electricity grid over a network typically the Internet.”

All though computer science history many attempts has been made to users from computer hardware needs, from time-sharing utilities envisioned in the network computers of the commercial grid systems.. This abstract is becoming a reality as a number of academic and business leading modules in this field of science are spiralling towards cloud computing.


Over the last few years, there has been an increased number of applications that have migrated to the cloud and new cloud-based applications that has been become most popular. Recent adopters of cloud had been enterprise applications and IT departments according to Research, revenue from mobile enterprise cloud-based applications and services is expected to rise from nearly \$2.6 billion in 2011 to \$39 billion in 2016.

The storage and download services, highly to mobile consumer cloud services will become from a major shift in the mobile applications market from primary native applications to ones based on mobile cloud computing utilizing the computing and storage resources available in the cloud. The use of cutting edge multimedia technologies that are much more complex and storage intensive than what mobile devices can offer and thus enabling much higher media experiences than what current native applications can offer. While according to MarketsAndMarkets.com, the global mobile applications market is expected to be worth \$25.0 billion by 2015, use of mobile cloud computing will enable more powerful applications and significant growth.

Simple structure of Mobile Cloud Computing is shown in figure below. Which shows how the Mobile devices interact with the cloud & how the flow of information takes place from Mobile devices to Cloud Servers.

In cloud computing, the available service models are:

- **Infrastructure as a Service.** Provides the consumer with the capability to way of processing storage networks and other fundament computer resources. Which allow the consumer to develop and run arbitrary software, which can be included operating system and user applications The consumer has control over operating systems, storage, develop applications, and possibly limited control of select network components.



- Platform as a Service.** Provides the consumer with the capability to deploy onto the cloud infrastructure consumer created or acquire applications and produced using programming languages and tools supported by the service provider. The consumer not manage nor control the underlying cloud infrastructure including servers, operating systems or storage, but has control over the develop applications and possibly application hosting environment configurations.
- Software as a Service.** Provides the consumer with the capability to use the provider's applications running on a cloud infrastructure. The applications are accessible from various clients through a client interface such as a web browser (e.g. web-based e-mail). The consumer not manage nor control the underlying cloud infrastructure including network, servers operating systems and storage, or even individual applications capabilities, with possible exception or limited user specific application configuration settings.

Here we focus on Cloud Mobile Media (CMM) applications and services which will not permit mobile users to not only access rich media from any mobile device and platform, but even more important which will not able mobile users to engage in new rich media experiences through the use of mobile cloud, that are un possible otherwise from their mobile devices. CMM will also enable service provider's and network operators to offer services more efficient with lower cost and better user experience. Consumers adopt smartphones and tablets as one of their primary media experience platforms. Cloud Mobile Media has the potential of significantly boosting the revenue of cloud Software-as-a-Service providers. Some of the media rich CMM services will require new and richer platform and infrastructure capabilities as explained in the next section thereby providing a new set of revenue chances for cloud platform and infrastructure providers, and finally, CMM offers new type opportunities for mobile network

operators to close the growing gap between growth in data usage and data revenue by offering innovative CMM services and experiences outside of conventional applications stores where their participation has not been strong so far.

## II. LITERATURE SURVEY

With the evolution of mobile devices and networks, and the fast developing trend of mobile Internet access rich, multiplayer gaming using mobile devices, similar to system based Internet games which have potential and interest. Such the current client-server architecture for system based Internet games where most of the storage and burden of the game lies with the client device which will not work with mobile devices processing mobile gaming to downloaded single player games, or very light non-interactive versions of Internet games. In this paper we will study a cloud server based approach, termed Cloud Mobile Gaming where the burden of executing the gaming engines is put on cloud servers, and the mobile devices just communicate with the users' gaming commands to the servers. We analyse the factors affecting the quality of user experience using the CMG approach, including the game generate, video encoding & decoding factors, and the conditions of the wi-fi network. Based on the analysis, we develop a model for Mobile Gaming User Experience (MGUE), and develop a prototype for real-time measurement of MGUE that can be used in real networks. We approved MGUE model using control subjective testing and by using to characterize user experience achievable using the CMG approach in wireless networks.

With the recent emergence of public cloud offerings, surge computing -outsourcing tasks from an internal data centre to a cloud provider in times of heavy load- has become more accessible to a wide range of consumers. Deciding which workloads to outsource to what cloud provider in such a setting is far from trivial. The objective of this decision is to maximize the utilization of the internal data centre and to minimize the cost of running the outsource tasks in the cloud while Satisfied the application quality of service constraints. We observed this optimization problem in a multi-provider hybrid cloud setting with deadline-constrained and pre-emptible but non-provider-migratable workloads that are observed by memory. CPU and required data transmit by requirements. Linear programming is a common technique to tackle such an optimization problem. Now a day, it is unclear whether this technique is suitable for the problem at hand and what the performance implications of its use are. We therefore analyse and propose a binary integer program formulation of the scheduling problem and evaluate the computational costs of this technique with respect to the problem's key parameters. We find out that this approach results in a tractable solution for scheduling applications in the public cloud, but that is a common method becomes less feasible in a hybrid cloud setting due to very high effective solve time variances.

The cloud paradigm appeared on the computing scene in 2005 with the Amazon Elastic Compute Cloud (EC2). After this date, a large set of related technology have been developed. In the academic world and special in the HPC

area cloud computing is way in competition with the GRID model which uses a middleware based approach. One of the proposed solution is the integration of the two paradigms, in order to used the enormous potential of the existent computational GRIDs in a new different ways. One of the most tremendous problems on this system is the choice of the correct programming paradigm many different approaches exist and it is difficult to define which approach that best fit with the cloud paradigm. In this paper we develop the integration of a Cloud on GRID architecture with a mobile agent platform. The architecture we propose to develop Virtual clusters with full administrative control to the users, adopting an existent GRID architecture and its security infrastructure. The mobile agent platform is able to dynamically added and configuring services on the virtual clusters. The experience here presented shows that the mobile agent paradigm well fulfills the dynamic properties of the Cloud paradigm and could be a choice to simply develop application and services able to dynamically adapt themselves to the virtualized environment.

Cloud Mobile Rendering (CMR), where compute intensive rendering is performed on cloud servers instead of on mobile devices, can be a complete result oriented approach to enable rich rendering based multimedia applications on battery and CPU constrained mobile devices. However the video rendered in the cloud has been to be transmitted the mobile device over a wireless network with fluctuating and constrained bandwidth the resulting user experience can be impacted. In an adaptive rendering approach was proposed, where multiple factors can be adapted such that the bit rate of the encoded rendered video is compatible with the available network bandwidth. However, changing the rendent factors may itself have adverse impact on user experience. In this paper, we analyze the impairment of rendering factors on the quality of user experience and added to the rendering impairments with impairments due to video encoding factors (like bit rate and frame rate) and network factors (like bandwidth and delay) to formulate a model to measure the user experience during a Cloud Mobile Rendering session. We use this model CMR-UE in this paper. We use this method to derive the CMR-UE model, and demonstrate its accuracy and efficiencies through subjective testing using participants at UCSD. We use the CMR-UE model to study and develop the trade-off between the impact of rendering and video encoding factors on user experiences and finding the optimal rendering settings that maximize CMR-UE for any given network condition. Then we will use the CMR-UE model to measure user experience during CMR sessions on a live cellular network. We have demonstrate how user experience can be significantly enhanced by using appropriate and correct rendering settings under fluctuating network bandwidth conditions.

With worldwide shipments of smart phones and tablets 487.7 million exceeding PCs 414.6 million in 2011 and

more users predict to access the Internet from mobile devices rather than the PCs by 2015, clearly there is a desire to be able to use mobile devices and networks like we use systems and wire-line networks now a day. However the advantages in the capabilities of mobile devices. A gap will be continue to exist and even widen with the requirements of rich multimedia applications. Mobile cloud computing can help bridge this gap providing mobile applications the capacity of cloud servers and storage together with the benefits of mobile devices and mobile connectivity possible enabling a new generation of truly ubiquitous multimedia applications on mobile devices Cloud Mobile Media applications. In this paper, we look at recently trends and opportunities and benefits for new Cloud Mobile Media applications and services. We analyse the challenges imposed by mobile cloud computing that need to bead dressed to make Cloud Mobile Media applications including response time user experience cloud computing cost and mobile network bandwidth, and scalability to large number of Cloud Mobile Media users, other side important cloud computing issues like energy consumption, privacy and security. We analyse the challenges using Cloud Mobile Gaming (CMG), an approach that enables rich multiplayer Internet games on mobile devices, where computing intensive tasks like graphic rendering are executed on cloud servers in response to gaming commands on a mobile device, and the resulting video has to be streaming back to the mobile device in real time, making it one of the most challenging Cloud Mobile Media applications. In this paper on developing adaptive mobile cloud computing techniques to address the CMG challenges. We propose a rendering adaptation technique, which can dynamically vary there richness and complexity of graphic rendering depending on the network and cloud calculating constraints, thereby impacting both the bit rate of the rendered video that needs to be streamed back from the cloud server to the mobile device, and the computation load on the Cloud Mobile Gaming servers. Experimental conducted the on a cellular network demonstrate that our proposed technique can significantly improve user experience and ensure scalability of the Cloud Mobile Gaming approach in terms of both network bandwidth and server computational need.

### III. PROPOSED METHODOLOGY

In the existing system all the multimedia part of the Mobile Game in Internet Gaming is handover to the cloud server for execution but it is not possible for all conditions. As there are many other applications which will be as heavy as Game so for those it will not be possible to send only multimedia part at the cloud server for execution. So to overcome this we need to find proper way to do appropriate Task Distribution in Mobile cloud computing. So as solution to this problem we need to find how to split the task into different section and implement it at ends that is, Cloud server and Mobile device with positive result. In this paper, two different ways through which we can distribute the task between Mobile device & cloud server is proposed.

## 1. First Method

- In first method we will consider about the application which are need to be accessed via cloud server. For that we will have to request for application from cloud. As the application will be stored at cloud the load required for its execution will be known to cloud server.
- As the cloud server will be aware about this load required for execution taking advantage of this situation we can distribute the application into three different levels that is, High Level , Medium Level , Low Level .In High level will be those applications that require higher processing time we will specify some fix amount for it. Medium level will be the process that requires comparatively less processing time & in Low level will be the process requiring very less amount of processing time.
- After splitting the application into these parts the execution of High level & Medium level should be handed over to cloud server itself. It means that this process will be executed at the Cloud server end and its outcome will be transferred to mobile device.
- The Low level applications will have to be executed at the mobile end as it may require less time to execute so the requirement of processor for execution will also be less. So this task will not require much time.

This is how we will be performing the task distribution in this method. In this method it was bit simple as application was at Cloud server & it was aware about the type of task to be performed. The second method is bit difficult and different, it is explained below:

## 2. Second Method

- Here in second method considering about the application which is already present at the mobile, so for that we will gather the information about the application such as Turn-around Time form its Operating System (OS). If its execution requires more time than we will split the application into different tasks.
- For this splitting it into two group, one will be with the similar type of job that is , it will be performing similar type of task and second will be of different type of job that is, it will be performing dissimilar type of task.
- This distribution will take on the bases of different type of Threads available in that application. Number of threads will also help us in deciding whether the task is heavy or not.
- After this the information of group total turn-around time can be gathered. Whichever will be smaller has to be executed at the mobile end and one with greater turnaround time will be executed at the Cloud Server.

This way will be able to do the proper task distribution for the Mobile Cloud Applications.

## IV. CONCLUSION.

In this paper we have presented a novel approach for mobile cloud computing to address the challenges associated with cloud mobile gaming which protecting the confidentiality and integrity of uploaded files or data in mobile storage cloud computing system. In current situation if we play Internet Gaming on Mobile so in this an approach that enables much multiplayer Internet games on mobile devices which compute proper tasks like graphic rendering are executed on cloud servers in response to gaming commands on a mobile device, and the resulting videos has been streamed back to the mobile device in near real time. But in this way we cannot say that proper task distribution is done as only mobile games are not available application for it there can be other large applications so for that in this focus will be on some task distribution techniques which will give better output. With this we will be optimizing the computational load over mobile devices.

## REFERENCES

1. Shaoxuan Wang and Sujit Dey ,” Adaptive Mobile Cloud Computing to Enable Rich Mobile Multimedia Applications” IEEE Transactions On Multimedia, Vol. 15, No. 4, June 2013.
2. Yao Liu ,Shaoxuan Wang ; Dey, S., “Modeling, characterizing, and enhancing user experience in Cloud Mobile Rendering” Computing, Networking and Communications (ICNC), 2012, IEEE International Conference
3. Dimitrios Zissis , Dimitrios Lekkas, “ Addressing cloud computing security issues”, IEEE,Future Generation Computer Systems 28 (2012) 583–592.
4. Huajian Mao, Nong Xiao , Weisong Shi , Yutong Lua “A cloud-oriented file service for mobile Internet devices” IEEE , J. Parallel Distrib. Comput. 72 (2012) 171–184
5. G. Lee, B. Chun, and R. Katz, “Heterogeneity-aware resource allocation and scheduling in the cloud,” in Proc. 3rd USENIX Workshop Hot Topics in Cloud Comput., Jun. 2011.
6. Zaheer Ahmad a, Keith E. Mayes b, Song Dong a, Kostas Markantonakis “Considerations for mobile authentication in the Cloud” ,IEEE, information security technical report ( 2011 ) 1-8
7. S. Wang and S. Dey, “Addressing response time and video quality in remote server based internet mobile gaming,” in Proc. IEEE WCNC, Sydney, Australia, Mar. 2010.
8. Aversa, R. Di Martino, B. ; Rak, M. ; Venticinque, S.,” Cloud Agency: A Mobile Agent Based Cloud System” Complex, Intelligent and Software Intensive Systems (CISIS), 2010 , IEEE , International Conference.
9. R. Bossche, K. Vanmechelen, and J. Broeckhove, “Cost-optimal scheduling in hybrid IaaS clouds for deadline constrained workload,” in Proc. IEEE Int. Conf. Cloud Comput., Miami, FL, USA, Jul. 2010
10. ZhenJiang Li and Cheng Chen, “Cloud Computing for Agent-Based Urban Transportation Systems”Chinese Academy of Sciences Kai Wang, National University of Defense Technology
11. S. Wang and S. Dey,” Modelling and Characterizing User Experience in a Cloud Server Based Mobile Gaming Approach ” Proc. IEEE GLOBECOM, 2009
12. Jensen M, Schwenk J, Gruschka N, Iacono LL. On technical security issues in cloud computing. In: Proceedings of the IEEE international conference on cloud computing; 2009, pp. 109e116.
13. S. Wang and S. Dey, “Modeling and characterizing user experience in a cloud server based mobile gaming approach,” in Proc. IEEE GLOBECOM, Honolulu, HI, USA, Dec. 2009.
14. F.-Y. Wang, “Parallel System Methods for Management and Control of Complex Systems,” Control and Decision, vol. 19, no. 5, 2004, pp. 485–489.
15. M. Satyanarayanan, J. Kistler, P. Kumar, M. Okasaki, E. Siegel, D. Steere, Coda:” a highly available file system for a distributed workstation environment”, IEEE Transactions on Computers 39 (4) (1990) 447–459.