

An Accomplishment of Web Personalization Using Web Mining Techniques

Y.Raju¹ B.Prashanth Kumar² Dr.D.Suresh Babu³

¹*Gitanjali Eng.College, Hederabad,*

²*AVN Inst Of Engg & Tech, Ibrahimpatnam, Hyderabad.*

³*Department of CSE, Vaagdevi College of Engineering, Warangal, India.*

ABSTRACT-Web mining is an important application of data mining techniques to extract knowledge from the Web. Web mining has been explored to a vast degree and different techniques have been proposed for a variety of applications that includes Web Search, Classification and Personalization etc. Most research on Web mining has been from a 'data' point of view. The Web mining research is a converging research area from several research communities, such as Databases, Information Retrieval and Artificial Intelligence. In this paper, we concentrated on the significance of studying the evolving nature of the Web personalization. Web usage mining is used to discover interesting user navigation patterns and can be applied to many real-world problems, such as improving Web sites/pages, making additional topic or product recommendations, user/customer behavior studies, etc. A Web usage mining system performs five major tasks: i) data gathering, ii) data preparation, iii) navigation pattern discovery, iv) pattern analysis and visualization, and v) pattern applications. Each task has been explained in detail and its related technologies are introduced. In this paper we implement how Web mining techniques can be applied for the Customization i.e Web personalization.

Keywords : *Navigation Patterns, Pattern Analysis, Content Mining, Structure Mining, Usage Mining*

1. INTRODUCTION

With the dramatically quick and explosive growth of information available over the Internet, World Wide Web has become a powerful platform to store, disseminate and retrieve information as well as mine useful knowledge. Due to the properties of the huge, diverse, dynamic and unstructured nature of Web data, Web data research has encountered a lot of challenges, such as scalability, multimedia and temporal issues etc. As a result, Web users are always drowning in an "ocean" of information and facing the problem of information overload when interacting with the web. A user interacts with the Web, there is a wide diversity of user's navigational preference, which results in needing different contents and presentations of information. To improve the Internet service quality and increase the user click rate on a specific website, thus, it is necessary for a Web developer or designer to know what the user really wants to do, predict which pages the user is potentially interested in, and present the customized Web pages to the user by learning user navigational pattern knowledge [1,2,3].

2. WEB MINING TECHNIQUES

Web Content Mining: Web Content Mining is the process of extracting useful information from the contents of Web documents. Content data corresponds to the collection of facts a Web page was designed to convey to the users. It may consist of text, images, audio, video, or structured records such as lists and tables. Research activities in this field also involve using techniques from other disciplines such as Information Retrieval (IR) and natural language processing (NLP).

Web Structure Mining: The structure of a typical Web graph consists of Web pages as nodes, and hyperlinks as edges connecting between two related pages. In addition, the content within a Web page can also be organized in a tree-structured format, based on the various HTML and XML tags within the page. Thus, Web Structure Mining can be regarded as the process of discovering structure information from the Web. This type of mining can be performed either at the (intra-page) document level or at the (inter-page) hyperlink level (Figure 1).

Web Usage Mining: Web Usage Mining is the application of data mining techniques to discover interesting usage patterns from Web data, in order to understand and better serve the needs of Web-based applications. Usage data captures the identity or origin of Web users along with their browsing behavior at a Web site. Some of the typical usage data collected at a Web site include IP addresses, page references, and access time of the users.

Text Mining : Due to the continuous growth of the volumes of text data, automatic extraction of implicit previously unknown and potentially useful information becomes more necessary to properly utilize this vast source of knowledge. Text mining, therefore, corresponds to extension of the data mining approach to textual data and its concerned with various tasks, such as extraction of information implicitly contained in collection of documents or similarity-based structuring. Text collection in general, lacks the imposed structure of a traditional database. The text expresses the vast range of information, but encodes the information in a form that is difficult to decipher automatically.

3. WEB DATA

Web data are those that can be collected and used in the context of Web personalization. These data are classified in four categories according to [6]:

- a) *Content* data are presented to the end-user appropriately structured. They can be simple text, images, or structured data such as information retrieved from databases.
- b) *Structure* data represent the way content is organized. They can be either data entities used within a Web page, such as HTML or XML tags, or data entities used to put a Web site together, such as hyperlinks connecting one page to another.
- c) *Usage* data represent a Web site's usage, such as a visitor's IP address, time and date of access, complete path (files or directories) accessed, referrers' address, and other attributes that can be included in a Web access log.
- d) *User profile* data provide information about the users of a Web site. A user profile contains demographic information for each user of a Web site, as well as information about users' interests and preferences. Such information is acquired through registration forms or questionnaires, or can be inferred by analyzing Web usage logs.

4. PERSONALIZATION ON THE WEB

Web personalization is a strategy, a marketing tool, and an art. Personalization requires implicitly or explicitly collecting visitor information and leveraging that knowledge in your content delivery framework to manipulate what information you present to your users and how you present it. Correctly executed, personalization of the visitor's experience makes his time on your site, or in your application, more productive and engaging. Personalization can also be valuable to you and your organization, because it drives desired business results such as increasing visitor response or promoting customer retention. Unfortunately, personalization for its own sake has the potential to increase the complexity of your site interface and drive inefficiency into your architecture. It might even compromise the effectiveness of your marketing message or, worse, impair the user's experience. Few businesses are willing to sacrifice their core message for the sake of a few trick web pages. Contrary to popular belief, personalization doesn't have to take the form of customized content portals, popularized in the mid-to-late 90s by snap.com and My Yahoo!. Nor does personalization require expensive applications or live-in consultants. Personalization can be as blatant or as understated as you want it to be. It's a tired old yarn, but if you hope to implement a web personalization strategy, the first and most important step is to develop and mature your business goals and requirements. It is important to detail what it is you hope to do and, from that knowledge, develop an understanding of how you get

from an idea to implementation. You might be surprised to discover that it won't require most of next year's budget to achieve worthwhile results.

Web personalization can be seen as an inter-disciplinary field that includes several research domains from user modeling [14], social networks [19], web data mining [8,13,19], human-machine interactions to Web usage mining[13]; Web usage mining is an example of approach to extract log files containing information on user navigation in order to classify users. Other techniques of information retrieval are based on documents categories' selection [13]. Contextual information extraction on the user and/or materials (for adaptation systems) is a technique fairly used also include, in addition to user contextual information, contextual information of real-time interactions with the Web. [8] proposed a multi-agent system based on three layers: a user layer containing users' profiles and a personalization module, an information layer and an intermediate layer. They perform an information filtering process that reorganizes Web documents. [3] propose reformulation query by adding implicit user information. This helps to remove any ambiguity that may exist in query: when a user asks for the term "conception", the query should be different if he is an architect or a computer science designer. Requests can also be enriched with predefined terms derived from user's profile [8] develop a similar approach based on user categories and profiles inference. User profiles can be also used to enrich queries and to sort results at the user interface level [11]. Other approaches also consider social-based filtering [12] and collaborative filtering. These techniques are based on relationships inferred from users' profile. Implicit filtering is a method that observes user's behavior and activities in order to categorize classes of profile. Other approaches consider information semantics. For example, user queries can be enriched by adding new properties from the available domain ontologies [12]. [15] assume that reading, scanning and interacting with a document considered as relevant takes much time for the user. They consider that three sources of implicit feedback are the most relevant to approximate user's interest for a given web page: reading time, scrolling over the same page and interacting with the system. Web information retrieval and mining usually consider web pages as the element to be analyzed, organized and presented to the user. However, the content of these Web pages is complex and inter-related. This has led to an interest on integrating semantic knowledge;. Personalization process has been enriched at the semantic level, based on user modeling and on log files analysis. These approaches can be combined. User modeling by ontology can be coupled with dynamic update of user profile using results of information-filtering and Web usage mining techniques.

5. PERSONALIZATION STRATEGIES

Personalization falls into four basic categories, ordered from the simplest to the most advanced:

- (1) Memorization – In this simplest and most widespread form of personalization, user information such as name and browsing history is stored (e.g. using *cookies*), to be later used to recognize and greet the returning user. It is usually implemented on the Web server. This mode depends more on Web technology than on any kind of adaptive or intelligent learning. It can also jeopardize user privacy.
- (2) Customization – This form of personalization takes as input a user's preferences from registration forms in order to customize the content and structure of a web page. This process tends to be static and manual or at best semi-automatic. It is usually implemented on the Web server. Typical examples include personalized web portals such as My Yahoo and Google
- (3) Guidance or Recommender Systems – A guidance based system tries to *automatically* recommend hyperlinks that are deemed to be relevant to the user's interests, in order to facilitate access to the needed information on a large website [13,20]. It is usually implemented on the Web server, and relies on data that reflects the user's interest *implicitly* (browsing history as recorded in Web server logs) or *explicitly* (*user profile* as entered through a registration form or questionnaire). This approach will form the focus of our overview of Web personalization.
- (4) *Task Performance Support* – In these client-side personalization systems, a personal assistant executes actions on behalf of the user, in order to facilitate access to relevant information. This approach requires heavy involvement on the part of the user, including access, installation, and maintenance of the personal assistant software. It also has very limited scope in the sense that it cannot use information about other users with similar interests.

The Web personalization process can be divided into four distinct phases [13, 20]:

- (1) Collection of Web data – *Implicit* data includes past activities/clickstreams as recorded in Web server logs and/or via cookies or session tracking modules. *Explicit* data usually comes from *registration* forms and *rating* questionnaires. Additional data such as demographic and application data (for example, e-commerce transactions) can also be used. In some cases, Web content, structure, and application data can be added as additional sources of data, to shed more light on the next stages.
- (2) Preprocessing of Web data – Data is frequently pre-processed to put it into a format that is compatible

with the analysis technique to be used in the next step. Preprocessing may include cleaning data of inconsistencies, filtering out irrelevant information according to the goal of analysis (example: automatically generated requests to embedded graphics will be recorded in web server logs, even though they add little information about user interests), and completing the missing links (due to caching) in incomplete clickthrough paths. Most importantly, unique sessions need to be identified from the different requests, based on a heuristic, such as requests originating from an identical IP address within a given time period.

- (3) Analysis of Web data – Also known as *Web Usage Mining* [18,22], this step applies machine learning or *Data Mining* techniques to discover interesting usage patterns and statistical correlations between web pages and user groups. This step frequently results in *automatic user profiling*, and is typically applied offline, so that it does not add a burden on the web server.
- (4) Decision making/Final Recommendation Phase – The last phase in personalization makes use of the results of the previous analysis step to deliver recommendations to the user. The recommendation process typically involves generating dynamic Web content on the fly, such as adding hyperlinks to the last web page requested by the user. This can be accomplished using a variety of Web technology options such as CGI programming..

6. REQUIREMENTS OF WEB USAGE MINING

It is necessary to examine what kind of features a Web usage mining system is expected to have in order to conduct effective and efficient Web usage mining, and what kind of challenges may be faced in the process of developing new Web usage mining techniques. A Web usage mining system should be able to:

- Gather useful usage data thoroughly,
- Filter out irrelevant usage data,
- Establish the actual usage data,
- Discover interesting navigation patterns,
- Display the navigation patterns clearly,
- Analyze and interpret the navigation patterns correctly, and Apply the mining results effectively.

7. ONLINE WEB PERSONALIZATION SYSTEM

The main limitation of traditional Personalization systems is the loosely coupled integration of the Web personalization system with the Web server ordinary activity. A new web usage-mining tool named "**Online Miner**" which is a user-friendly tool collects the user behavior and stores them in the respective category defined by the administrator, with no complicated queries it generates rapid reports and also maintains accuracy in reports. The key idea of **Online Miner** is to collect the required data from the live source of user behavior on the

web with the help of dynamic configuration of filters and transfers data by applying transformations, in to the web usage repository for generating reports with no complicated queries and less processing time. The tool behavior is inherited from Cluster Model and implements the customized usage tracking trend.

The proposed Online Miner architecture covers all the activities of Web Usage mining ranging from collecting the navigational data, Data Regulation, Generating Data Mining Model, Final Report generation.

Implementation

Online Miner is an add-on software component that can inspect traffic at a deeper level than any other web mining tool does. It is a software component that can be hosted online and can inspect the data before it allows to the web-mining repository. This tool starts its activities of gathering, filtering and categorization of data when the user moves or clicks the mouse button or key in the data into the web pages. This tool provides the transparency to transactional analysis on user behavior. Online Miner is an Asp.net technology based frame work with C# coding to avoid common problems associated with processing Server Logs and to capture additional and more detailed data. The core elements of this frame work are clearly mentioned in the Online Miner architecture. In order to generate data mining model, Online Miner uses a sophisticated algorithm known as “Mining Repository Algorithm”.

8. CONCLUSION

In this article, we have outlined three different modes of web mining, namely web content mining, web structure mining and web usage mining. Needless to say, these three approaches cannot be independent, and any efficient mining of the web would require a judicious combination of information from all the three sources. We have presented in this paper the significance of introducing the web mining techniques in the area of web personalization.

Personalization requires analysis of your goals and the development of business requirements, use cases, and metrics. Once these are fully understood, you may find that your personalization strategy doesn't require substantial augmentation of your application environment. If you do find that the integration of a personalization tool is necessary, with this knowledge, you'll be able to better analyze and judge the offerings. In less than a decade, the WWW has become one of the world's three major media, with the other two being print and television. Electronic commerce is one of the major forces that allow the Web to flourish, but the success of electronic commerce depends on how well the site owners understand users' behavior and needs. Web usage mining can be used to discover interesting user navigation patterns, which can then be applied to real-world problems such as Web site/page improvement, additional

product/topic recommendations, user/customer behavior studies, etc.

This paper has attempted to cover most of the activities of the rapidly growing area of Web usage mining. The proposed frame work “Online Miner “seems to work well for developing prediction models to analyze the web traffic volume. However, Web usage mining raises some hard scientific questions that must be answered before robust tools can be developed. Web usage patterns and data mining will be the basis for a great deal in future research.. Future research will also incorporate data mining algorithms to improve knowledge discovery. The development and application of Web mining techniques in the context of Web content, usage, and structure data will lead to tangible improvements in many Web applications, from search engines and Web agents to Web analytics and personalization. Future efforts, investigating architectures and algorithms that can exploit and enable a more effective integration and mining of content, usage, and structure data from different sources promise to lead to the next generation of intelligent Web applications.

REFERENCES

- [1] Agrawal R. and Srikant R. (2000). Privacy-preserving data mining, In Proc. of the ACM SIGMOD Conference on Management of Data, Dallas, Texas, 439-450.
- [2] Berners-Lee J, Hendler J, Lassila O (2001) The Semantic Web. Scientific American, vol. 184, pp34-43.
- [3] Berendt B., Bamshad M, Spiliopoulou M., and Wiltshire J. (2001). Measuring the accuracy of sessionizers for web usage analysis, In *Workshop on Web Mining*, at the First SIAM International Conference on Data Mining, 7-14.
- [4] Berendt B., Hotho A., and Stumme G. (2002). Towards semantic web mining. In *Proc. International Semantic Web Conference (ISWC02)*.
- [5] Cecconi A, Galanda M (2002) Adaptive Zooming in Web Cartography. In *Proceedings of SVG Open 2002* (Zurich, Switzerland), pp787-799
- [6] Chen L, Sycara K (1998) A Personal Agent for Browsing and Searching. In *Proceedings of the 2nd International Conference on Autonomous Agents*, Minneapolis/St. Paul, May 9-13, pp132-139.
- [7] Desikan. P and Srivastava J. (2004), Mining Temporally Evolving Graphs. In *Proceedings of “WebKDD- 2004 workshop on Web Mining and Web Usage Analysis”*, B. Mobasher, B. Liu, B. Masand, O. Nasraoui, Eds. part of the ACM KDD: Knowledge Discovery and Data Mining Conference, Seattle, WA.
- [8] Eirinaki M., Vazirgiannis M. (2003). Web mining for web personalization. *ACM Transactions On Internet Technology (TOIT)*, 3(1), 1-27.
- [9] Ghani, R. and A. Fano. Building Recommender Systems Using a Knowledge Base of Product Semantics. in *Proceedings of the Workshop on Recommendation and Personalization in E-Commerce*, at the 2nd International Conference on Adaptive Hypermedia and Adaptive Web Based Systems (AH2002). 2002, p. 11-19, Malaga, Spain.
- [10] Jaideep Srivastava, Robert Cooley, Mukund Deshpande, Pang-Ning Tan, Web Usage Mining: Discovery and Applications of Usage Patterns from Web Data, SIGKDD Explorations, January 2000/Vol. 1, Issue 2, pp. 12-23
- [11] Kargupta H., Datta S., Wang Q., and Sivakumar K. (2003). On the Privacy Preserving Properties of Random Data Perturbation Techniques, In *Proc. of the 3rd ICDM IEEE International Conference on Data Mining (ICDM'03)*, Melbourne, FL.

- [12] Linden G., Smith B., and York J. (2003). *Amazon.com* Recommendations Item- to-item collaborative filtering, *IEEE Internet Computing*, 7(1), 76-80.
- [13] Mobasher, B., Web Usage Mining and Personalization, in Practical Handbook of Internet Computing, M.P. Singh, Editor. 2004, CRC Press. p. 15.1-37.
- [14] Maier T. (2004). A Formal Model of the ETL Process for OLAP-Based Web Usage Analysis. In *Proc. of "WebKDD-2004 workshop on Web Mining and Web Usage Analysis"*, part of the ACM KDD: Knowledge Discovery and Data Mining Conference, Seattle, WA.
- [15] Meo R., Lanzi P., Matera M., Esposito R. (2004). Integrating Web Conceptual Modeling and Web Usage Mining. In *Proc. of "WebKDD- 2004 workshop on Web Mining and Web Usage Analysis"*, part of the ACM KDD: Knowledge Discovery and Data Mining Conference, Seattle, WA.
- [16] Mobasher, B., Cooley, R., and Srivastava, J. (2000). Automatic personalization based on web usage mining, *Communications of the ACM*, 43(8) 142-151.
- [17] Mobasher B., Dai H., Luo T., and Nakagawa M. (2001). Effective personalization based on association rule discovery from Web usage data, *ACM Workshop on Web information and data management*, Atlanta, GA.
- [18] Nasraoui O., Krishnapuram R., and Joshi A. (1999). Mining Web Access Logs Using a Relational Clustering Algorithm Based on a Robust Estimator, *8th International World Wide Web Conference*, Toronto, 40-41.
- [19] Pierrakos, D., et al. *Web Community Directories: A New Approach to Web Personalization*. in Proceeding of the 1st European Web Mining Forum (EWMF'03). 2003, p. 113-129, Cavtat-Dubrovnik, Croatia.
- [20] Schafer J.B., Konstan J., and Reidel J. (1999). Recommender Systems in E-Commerce, In *Proc. ACM Conf. E-commerce*, 158-166.
- [21] Spiliopoulou M. and Faulstich L. C. (1999). WUM: A Web utilization Miner, in Proc. Of EDBT workshop WebDB98, Valencia, Spain.
- [22] Srivastava, J., Cooley, R., Deshpande, M., And Tan, P-N. (2000). Web usage mining: Discovery and applications of usage patterns from web data, *SIGKDD Explorations*, 1(2), 12-23.

AUTHOR'S BIOGRAPHY



Y.Raju currently working as an Associate Professor at Gitanjali Engineering & Tech, Hyderabad. He has completed his M.Tech(CSE) Form JNTU, Hyderabad.



B.Prashanth Kumar is an Associate Professor of CSE & In charge-Exam Branch at AVN Institute of Engineering & Technology, Hyderabad. He received M.Tech(CSE) degree JNTU, Hyderabad and also received M.Sc., degree from Department of Computer Science, Osmania University. He is having rich experience in teaching and handling the Department at graduation and post graduation level at various colleges and achieved Best Teacher award for his services, and he worked as Software Testing Consultant for number of top MNC's in India. His research interest includes Software Engineering, Software Testing, Software Project Management, Service Oriented Architecture, Distributed Computing, and Pedagogy.



Dr.D.Suresh Babu is currently working as a Professor at Vaagdevi College of Engineering, Warangal,A.P, INDIA. He has received his Ph.D Degree in Computer science & Engineering from Acharya Nagarjuna University, Guntur, A.P.,INDIA. His main research interest includes Data Mining, neural networks, data retrieval process and Artificial Intelligence. He has been involved in the organization of a number of conferences and workshops. He has been published more than 15 papers in International journals and conferences.