

REFERENCES

- [1] Wei Peng, Matthew, O. Ward, Elke A. Rundensteiner, "Clutter Reduction in Multi-Dimensional Data Visualization Using Dimension Reordering", IEEE Symposium on Information Visualization 2004 (InfoVis 2004), pp 89 - 96, October 2004.
- [2] J. Yang, W. Peng, M.O. Ward, and E.A. Rundensteiner. "Interactive hierarchical dimension ordering, spacing and filtering for exploration of high dimensional datasets". *Proc. IEEE Symposium on Information Visualization*, pp. 105–112, 2003.
- [3] B. Shneiderman, "The Eyes Have It; A Task by Data Type Taxonomy for Information Visualization", *Univ. of Maryland*, TR-96-66, 1996.
- [4] S.K. Card and J. Mackinlay, "The structure of the information visualization design space", *Proc. InfoVis'97*, pp. 92-100, 1997.
- [5] M.O. Ward, "A taxonomy of glyph placement strategies for multidimensional data visualization", *Information Visualization*, pp.194–210, 2002.
- [6] N. Lloyd: Technical Report on "clutter measurement and reduction for enhanced information visualization", *Worcester Polytechnic Institute*, March 2006.
- [7] A. Dasgupta and R. Kosara. "Pargnostics: screen-space metrics for parallel coordinates", *IEEE Transactions on Visualization and Computer Graphics*, 16(6):1017–26, 2010.
- [8] M. Sheelagh, T. Carpendale, D.J. Cowperthwaite, and F.D. Fracchia. "Distortion viewing techniques for 3-dimensional data". *Proc. IEEE Symposium on Information Visualization*, pp. 46–53, 1996.
- [9] Y.K. Leung and M.D. Apperley. "A review and taxonomy of distortion oriented presentation techniques". *ACM Transactions on Computer-Human Interaction*, 1(2):pp. 126–160, 1994.
- [10] E.J. Wegman and Q. Luo. "High Dimensional Clustering Using Parallel Coordinates and the Grand Tour". *Computing Science and Statistics*, 28, pp. 352-360, July 1996.
- [11] A.O. Artero, M.C. Ferreira de Oliveira and H. Levkowitz. "Uncovering Clusters in Crowded Parallel Coordinates Visualizations". *Infovis*, pp. 131-136, 2004.
- [12] E. Bertini and G. Santucci. "Improving 2D scatterplots effectiveness through sampling, displacement and user perception". *Proc. Information Visualisation 2005, London*, pp. 826- 834, July 2005
- [13] M. Stone, K. Fishkin and E.A. Bier, "The Movable Filter as a User Interface Tool", *Proc. CHI'94*, pp. 306-312, 1994, ACM Press.
- [14] Ruth Rosenholtz, Yuanzhen Li, Jonathan Mansfield, and Zhenlan Jin. "Feature congestion: a measure of display clutter". *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pp. 761, 2005.
- [15] <http://www.mediavirus.org/parvis/>
- [16] A. Inselberg and B. Dimsdale. Parallel coordinates for visualizing multi-dimensional geometry. In T. L. Kunii, editor, *Proceedings of Computer Graphics International '87*, Tokyo, 1987.Springer-Verlag.