

ADDITIVE algorithm as we compared original watermark and extracted watermark we get more values of PSNR and SNR after than ADDITIVE algorithm. Similarly when we compare uncommon, noted image and watermarked image after attack than ADDITIVE algorithm. So that we can say that MULTIPLICATIVE algorithm is robust for the Gaussian noise attack and imperceptible.

REFERENCES

[1] Abhijith Sreenivasan (2007 1 Feb), Simple Watermarking using Wavelet transform, (1st ed), [Online] Available: <http://www.mathworks.com/matlabcentral/fileexchange/13834-simple-water-marking-using-wavelet-transform>.

[2] ADDITIVE, “Non blind Discreet Wavelet Transformation based Digital Watermark Embedding and Extraction Algorithm”, M aster Thesis, Dept. of Comp . Science and Information Technology, Rajasthan Technical University, Kota, Rajasthan, India, 2012.

[3] Wikipedia, Peak Signal to Noise Ratio (44 ed.) [Online] Available: http://en.wikipedia.org/wiki/Peak_signal-to-noise_ratio.

[4] Navnidhi Chaturvedi, Dr.S.J.Basha ,“ Analysis of Image Water marking by DWT and Performance Under Attacks” International Journal of Computer Technology and Electronics Engineering (IJCTEE) Volume 2, Issue 3, June 2012.

[5] “Digital watermarking a technology overview” Hebah H.O. Nasereddin, IJRRAS 6 (1) , January 2011

[6] Digital Watermarking Techniques: Literature Review

[7] <http://www.digitavid.net/VirtualUniversity/Presentations/ImagingWatermarking.pdf>.

[8] Ingemer J.Cox, Joe Killan, Tom Leighton and Talal G. Shamoan, “Secure spread spectrum watermarking for multimedia”, IEEE proceeding International Conference on Image Processing, vol.6, pp 1673-1687 Santa Barbara, California, USA, October 1997.

[9] George Voyatzis and Ioannis Pitas, “Application of toral automorphisms in image watermarking”, IEEE proceeding of International Conference on Image processing, vol. 2, pp 237-240, Lausanne, Switzerland, September 1996. IEEE press.

[10] . Thesis on Digital Watermarking in the Wavelet Transform Domain by Peter Meerwald 11, January 2001.

[11] Naveen Kumar M ULTIPLICATIVE, Saroj Hirewal, “ Non Blind Digital Watermarking using 2D- DWT, June 2013”, International Journal of Emerging Technology and Advanced Engineering, Volume 3, Issue 6.

[12] Ayush Sharma, Dr. Surender Yadav, ,”Translational attack analysis of Non Blind M ultiplicative Watermarking using 2D- DWT, June 2016”, International Journal of Emerging Technology and Advanced Engineering, Volume 6, Issue 6.